

Safety Data Sheet

BANISH
Issuing Date JUNE 2020

Supersedes Date DEC 2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name BANISH
Recommended use Cleaning agent
Manufacturer, importer, supplier

NCH AUSTRAILIA PTY LTD, DIV. OF NCH CORPORATION 5-9 RALPH STREET, ALEXANDRA, NSW -2015

Telephone inquiry +61-2-96690260

Emergency Telephone Number +61-2-96690237 / 0401718972

Fax number +61-2-96931562 Product Code 4028
Chemical nature Aqueous solution Acidic
Distributor
MEGA DISTRIBUTORS NEW ZEALAND
P.O Box 101085, North Shore Mail Centre, New Zealand

Telephone Number +64-9-473-6505 Emergency Telephone Number

+61-27-458-5684 Fax number +64-9-473-6301 0028 - BANISH **Issuing Date JUNE 2020**

2. HAZARD IDENTIFICATION

Colour Pale Light Amber Physical State Liquid **Odour** Pungent Mixture or Pure Substance: Mixture

GHS

Classification Physical Hazards

Substances /mixtures corrosive to metals

Health Hazard

Category 1

Category 1B

Category 3

Skin Corrosion/Irritation

Specific target organ systemic toxicity (single exposure)

Other Hazards

Labelling

Signal Word

Danger



Hazard

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

Precautionary

Statements

P234 - Keep only in original container

P260-Do not breath dusts or mists

P261 - Avoid breathing dust/fume gas/mist/vapours/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Call a physician if unwell.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms call a

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P363 - Wash contaminated clothing before reuse

P390 - Absorb spillage to prevent damage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P406 - Store in corrosive resistant container with a resistant inner liner

P501 - Dispose of contents/container in accordance with applicable local

regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No	ENCS	Weight %
Hydrochloric acid	7647-01-0	Present	10-30
INGREDIENTS NOT TO BE HAZARDOUS			UP TO 100

0028 - BANISH Issuing Date
JUNE 2020

4. FIRST AID MEASURES

General advice Do not get in eyes, on skin or on clothing. Do not breathe vapours or spray mist.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention immediately.

Skin Contact Remove immediately all contaminated clothing. Wash off immediately with plenty of water

for at least 15 minutes. Get medical attention immediately.

Inhalation Move to fresh air. In case of shortness of breath, give oxygen. If not breathing, give

artificial respiration. Get medical attention immediately.

Ingestion Clean mouth with water and afterwards drink plenty of water

Notes to physician The product causes burns of eyes, skin and mucous membranes. Control of circulatory

system, shock therapy if needed.

5. FIRE-FIGHTING MEASURES

Flash Point Not flammable Method Not applicable

Auto ignition Temperature No information available.

Flammability Limits in Air % Hydrogen, by reaction with metals.

Upper 75 Lower 4

Suitable Extinguishing Media

Foam. Alcohol-resistant foam. Carbon dioxide (CO2), Foam, Dry Chemical or Water fog. Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions. May react with galvanised steel or unlined steel metals to produce hydrogen gas which may form a highly flammable or explosive gas mixture .lf involved in a major fire, could evolve oxides of nitrogen or phosphorous. **Protective Equipment and Precautions for Firefighters**

Wear self-contained breathing apparatus pressure-demand, Safe work Australia (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Prevent further leakage or spillage if safe to do so.

Material can create slippery conditions.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust)

Neutralizing AgentNeutralize with lime milk or soda and flush with plenty of water.

7. HANDLING AND STORAGE

Handling Do not get in eyes, on skin or on clothing

Do not breathe vapours or spray mist

Storage Store in original container

Keep containers tightly closed in a dry, cool and well-ventilated place

Freezing will affect the physical condition but will not damage the material. Thaw and mix

before using

Storage Temperature Minimum 2 °C Maximum 49 °C

Storage Conditions Indoor X Outdoor Heated Refrigerated

0028 - BANISH **Issuing Date JUNE 2020**

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ES-TWA	ISHL	ACGIH TLV
Hydrochloric acid	Peak: 5 ppm	no data	Ceiling: 2 ppm
	Peak: 7.5	available	
	mg/m³		
INGREDIENTS NOT TO BE HAZARDOUS		no data	No data
		available	available

Engineering Measures Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined

areas.

Personal Protective Equipment

In case of inadequate ventilation wear respiratory protection When workers are facing **Respiratory Protection**

concentrations above the exposure limit they must use appropriate certified respirators

Eye/Face Protection Tightly fitting safety goggles. Face-shield.

Hand Protection Protective gloves

Skin Protection Wear suitable protective clothing, Impervious gloves. **General Hygiene Considerations** Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Transparent **Appearance**

Colour Pale Light Amber Liquid **Physical State**

Odour **Pungent**

Odour Threshold No data available

pH (100% solution) < 1

Melting Point/Range No data available No information available

Freezing Point Boiling Point/Range 104 °C

Flash Point Not flammable Method Not applicable

Evaporation Rate 0.1 (Butyl acetate=1) **Vapour Pressure** 15.44 mm Hg @ 21°C Solubility Completely soluble Vapour Density 0.6 (Air = 1.0)

1.09

Specific Gravity

Auto ignition Temperature No information available.

Viscosity Non viscous **Molecular Weight** No data available

Percent Volatile (Volume) 4.1 99.6% 0

VOC Content (%) 41.901 VOC Content (g/L) 0

10. STABILITY AND REACTIVITY

Chemical Stability Stable. Hazardous polymerization does not occur. **Conditions to Avoid** None known

Incompatible Products Bases, Strong oxidizing agents, Reducing agents, Metals.

Hazardous Decomposition Products Hydrogen chloride gas, Chlorine gas, Hydrogen, by reaction with

Possibility of Hazardous Reactions None under normal processing 0028 - BANISH Issuing Date
JUNE 2020

11. TOXICOLOGICAL INFORMATION

Product Information

Principle Route of Exposure Skin contact, Eye contact, Inhalation.

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 3, 2009):

Oral LD50 3,644.00 mg/kg
Dermal LD50 No information available

Inhalation LC50

 Gas
 3,644.00 mg/L

 Mist
 2.61 mg/L

 Vapour
 16.00 mg/L

 Primary Routes of Entry
 Inhalation

Main Symptoms

Acute Effects

Eyes Corrosive to the eyes and may cause severe damage including blindness.

Skin Causes skin burns.

Inhalation Harmful by inhalation. Causes burns.

Ingestion If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the

oesophagus and the stomach.

Chronic Effects Inhaled corrosive substances can lead to a toxic oedema of the lungs

Target Organ Effects Respiratory system, Eyes, Skin, Teeth. **Aggravated Medical Conditions** Respiratory disorders, Skin disorders.

Component Information

Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Hydrochloric acid	238 - 277 mg/kg (Rat	> 5010 mg/kg (Rabbit	= 1.68 mg/L (Rat)1 h	no data available	no data available
INGREDIENTS NOT TO BE HAZARDOUS	no data available	no data available	no data available	no data available	no data available

Chronic Toxicity

em emer emeny							
Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects		
Hydrochloric acid	no data available	no data available	no data available	no data available	eyes, respiratory system, skin, teeth		
INGREDIENTS NOT TO BE HAZARDOUS	no data available	no data available	no data available	no data available	no data available		

 Carcinogenicity
 There are no known carcinogenic chemicals in this product.

Component	ES	ACGIH	IARC	NTP	Other	
Hydrochloric acid	not applicable					
INGREDIENTS NOT TO BE HAZARDOUS	not applicable					

12. ECOLOGICAL INFORMATION

Product Information No data available

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Hydrochloric acid	no data available	no data available	no data available	no data available	N/A
INGREDIENTS NOT TO BE	no data available	no data available	no data available	no data available	N/A
HAZARDOUS					

Eco toxicity effectsNo information availablePersistence & DegradabilityNo specific information.BioaccumulationNo information availableMobilityNo information available

0028 - BANISH Issuing Date
JUNE 2020

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

ADG 7

UN-No UN1789

Proper Shipping Name Hydrochloric acid solution

Hazard Class 8
Packing Group II
Hazchem Code 2R

Shipping Description UN1789, Hydrochloric acid solution, 8, PG II

15. REGULATORY INFORMATION

Australia

Poison Schedule Schedule 6

16. OTHER INFORMATION

Prepared By Arvind Rane
Super cedes Date DEC 2016
Issuing Date JUNE 2020

Reason for Revision GHS -SDS FORMAT , COMPANY ADDRESS CHANGE

Glossary No information available.
List of References. No information available.

NCH AUSTRALIA PTY LTD, DIV OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.